

Zoological Record

Vol. 87, Sect. 8, 1950

BRYOZOA (POLYZOA)

COMPILED BY

ANNA B. HASTINGS, M.A., Ph.D.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON
SOLD AT THEIR HOUSE IN REGENT'S PARK
LONDON, N.W.8.

PRICE TWO SHILLINGS

October, 1952

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz. :—

							<i>s.</i>	<i>d.</i>
1.	Comprehensive Zoology	2	6
2.	Protozoa	7	6
3.	Porifera	2	0
4.	Coelenterata	4	0
5.	Echinoderma	2	6
6.	Vermes	10	0
7.	Brachiopoda	3	0
8.	Bryozoa	2	0
9.	Mollusca	10	0
10.	Crustacea	5	0
11.	Trilobita	3	0
12.	Arachnida	7	6
*13.	Insecta	30	0
14.	Protochordata	2	0
15.	Pisces	7	0
16.	Amphibia and Reptilia	7	6
17.	Aves	7	6
18.	Mammalia	7	6
19.	List of New Genera and Subgenera	3	0

* Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

8. BRYOZOA (POLYZOA)

ARRANGED BY

ANNA B. HASTINGS, M.A., Ph.D.

CONTENTS

	PAGE
I. TITLES	1
II. SUBJECT INDEX	5
III. SYSTEMATIC INDEX	6

I.—TITLES

1.—**Accordi, B.** Nuove forme di briozoi eocenici. Studi trentini **25** 1947 pp. 103–110, 1 pl.

2.—**Allan, F. E.** Investigations on Underwater Fouling. III. Note on the Fouling Organisms attached to Naval Mines in North Queensland. Aust. J. Mar. Freshwater Res. **1** 1950 pp. 106–109 1 pl.

3.—**Balavoine, P.** Note sur la faune lutétienne de Villers-sur-Roule et de Venables (Eure). Bull. Mus. Hist. nat. Paris (2) **21** 1949 pp. 772–775.

4.—**Behre, E. H.** Annotated List of the Fauna of the Grand Isle region. Occas. Pap. mar. Lab. Baton Rouge, La. No. 6 1950 pp. 1–66.

5.—**Bertrand, D.** Survey of contemporary knowledge of biogeochemistry. 2. The biogeochemistry of vanadium. Bull. Amer. Mus. nat. Hist. **94** 1950 pp. 403–455 tables.

6.—**Bock, K. J.** Über die Bryozoen und Kamptozoen der Kieler Bucht. Kiel. Meeresforsch. **7** 1950 pp. 161–166, 1 chart, 2 tabs.

7.—**Borghi, P. & Chiesa, C.** Cenni geologici e paleontologici sul paleozoico dell' Egghidi Uan Caza nel deserto di Taita (Fezzan Occidentale). Ann. Mus. libico Stor. nat. **2** 1940 pp. 123–137 1 pl. 2 figs.

8.—**Brehm, V.** Apostillas zoogeográficas a varios trabajos del Prof. H. Gauthier, con un apéndice sobre las características biogeográficas de algunos grupos de organismos dulciacuicolas. Publ. Inst. Biol. apl. Barcelona **7** 1950 pp. 83–130 1 map [Polyzoa p. 101].

9.—**Brooks, J. C.** Speciation in Ancient Lakes. Quart. Rev. Biol. **25** 1950 pp. 30–60.

10.—**Buge, E.** Les Bryozoaires de l'Oligocène de Basse-Alsace. Bull. Soc. géol. Fr. (5) **19** 1949 pp. 623–628 text-figs. 1–4.

11.—**Buge, E.** Note sur la synonymie de trois anciennes espèces de Bryozoaires: *Diastopora latomarginata* d'Orbigny 1852, *Eschara andegavensis* Michelin 1847 et *Obelia disticha* Michelin 1847. Bull. Soc. géol. Fr. (5) **20** 1950 pp. 459–465 text-figs. 1–2.

12.—**Cambridge, P.** Hascot, a New Crag-pit. Trans. Suffolk Nat. Soc. **7** 2 1950 pp. 66–67.

13.—Caspers, H. Der tierische Befall am Holz der Helgoländer Seebrücke. Zool. Anz., Leipzig **136** 1941 pp. 1-8, 3 figs.

14.—Chenevart, C. S. Les nappes des préalpes médianes et de la Simme dans la région de la Hochmatt (préalpes fribourgeoises). Mém. Soc. fribourg. Sci. nat. Géol. Géogr. **12** 1945 pp. 1-213 2 pls., 16 figs.

Chiesa, C. see Borghi, P.

15.—Damas, H. Présentation de *Branchiura sowerbyi*, *Craspedacusta sowerbyi* et *Urnatella gracilis*. C.R. Ass. franç. Av. Sci. **63** 1941 p. 706.

16.—David, L. Quelques Bryozoaires nouveaux du Miocène du Gard et de l'Hérault. Bull. Soc. géol. Fr. **5** **19** 1949 pp. 539-544 1 pl.

Davis, C. C. see Smith, F. G. W.

17.—Dolgopolskaia, M. A. Das Zooplankton des Schwarzen Meeres in der Nähe von Karadag. Trav. Sta. biol. Karadagh No. 6 1940 pp. 57-111 18 figs. 1 table. [Cyphonautes, pp. 94-95. German summary].

18.—Dudich, E. Zur Kenntnis der Wirbellosen Tierwelt des Komitates Bars. Fragmenta faun. Hungarica **10** 1947 pp. 94-108. [Polyzoa, p. 106].

19.—Eddy, S. & Hodson, A. C. Taxonomic Keys to the common animals of the North Central States exclusive of the Parasitic Worms, Insects and Birds. Minneapolis, 1950. [Polyzoa pp. 11-12 9 figs.]

20.—Elias, M. K. Types of Occurrence and Position of Bryozoa in Late Paleozoic Sediments of the Midcontinent. Rep. Mar. Ecol. & Paleocool. Wash., D.C. **9** 1949 pp. 117-120.

21.—Elias, M. K. The State of Paleontology. J. Paleont. **24** 1950 pp. 140-153 1 pl. 1 text-fig. 3 tables.

22.—Elias, M. K. *Fenestella deissi* (new name) from the Middle Devonian of Michigan, and related forms. J. Paleont. **24** 1950 pp. 390-392.

23.—Franke, F. Die Bryozoen des Unteroligocäns von Magdeburg. Abh. Mus. Nat.-u.-Heimatk. Magdeburg **7** **1** 1939 pp. 59-67 2 pls.

24.—Geldiay, R. Etude comparée sur les faunes macroscopique et microscopique du barrage de tchoubouk et du lac d'Emir (Voisinage d'Ankara). Commun. Fac. Sci. Univ. Ankara **2** 1949 pp. 151-199 23 pls. 25 figs. tables.

25.—Gillet, S. Les Invertébrés marins de l'Oligocène de Basse-Alsace. Bull. Soc. géol. Fr. **5** **19** 1949 pp. 51-74 pls. iv-v. [Polyzoan, p. 53].

26.—Goldring, W. Handbook of Paleontology for Beginners and Amateurs Part 1. The Fossils. Handb. N.Y. St. Mus. **9** 1950 pp. 1-394 97 figs. [Polyzoa pp. 126-131].

27.—Hass, H. Beitrag zur Kenntnis der Reteporiden mit besonderer Berücksichtigung der Formbildungsgesetze ihrer Zoarien und einem Bericht über die dabei angewandte neue Methode für Untersuchungen auf dem Meeresgrund. Zoologica, Stuttgart **37** Hft. 101, 1948 pp. 1-138, 10 pls., 62 figs.

28.—Hepworth, J. V. & Stride, A. H. Temporary Exposures and Borehole Records in the Bristol area. VI. A Sequence from the Old Red Sandstone to Lower Carboniferous, near Burrington, Somerset. Proc. Bristol Nat. Soc. **28** 1950 pp. 135-138.

Hodson, A. C. see Eddy, S.

29.—Hozawa, S. & Toriumi, M. Freshwater Bryozoa of Manchoukuo. Rep. Limnobiol. Surv. Kwantung and Manchoukuo, conducted by Prof. T. Kawamura, 1940 pp. 425-432 1 pl. 6 text-figs. [In Japanese, but Mr. Toriumi tells me, *in litt.*, that the descriptions are equivalent to those in the English paper by the same authors, see Title 23, Zool. Rec. 85].

30.—Krause, P. G. Die Tiefbohrung Tilsit-Waldhof nebst Bemerkungen zur staatlichen Bohrung Labiau und zu einigen anderer ostpreussischen Bohrungen. Jahrb. preuss. geol. LdAnst. **59** 1939 pp. 370-422 1 pl.

Krestnovnikov, V. N. see Lutchitzki, I. V.

31.—Kühn, Othmar. Hydrozoa. Handb. Paläozool. **2A** **5** 1939 pp. A1-A68 text-figs. 1-96.

32.—Kuhn, Otto. Lehrbuch der Paläozoologie Stuttgart 1949. Pp. v, 1-326 224 text-figs. [Polyzoa pp. 89-94. Some of the 224 text-figs. are grouped to fill whole pages which are numbered as 50 pls.]

Lagaaij, R. see Voorthuysen, J. H. van.

33.—Lutchitzki, I. V. & Krestovnikov, V. N. The stratigraphy of Paleozoic deposits in upper Amur. C.R. Acad. Sci. Moscou N.S. 75 2 1950 pp. 267-270. [In Russian].

34.—Makarow, A. K. Über das Vorkommen des Moostierchens *Lophopus crystallinus* Pallas in den Flüssen Dnjestr und Dnjepr. Zool. Anz. 133 1941 pp. 46-47.

35.—Malecki, J. Contribution à la connaissance des Bryozoaires du Miocène de Benczyn. Roczn. Pol. Tow. Geol. Kraków 19 4 1951 pp. 487-491. (French résumé p. 490).

36.—Marcus, E. Systematical remarks on the bryozoan fauna of Denmark. Vidensk. Medd. Dansk. naturh. Foren. 112 1950 pp. 1-34 5 figs.

Marcus, E. in Oliveira, L. P. H. de

37.—Marcus, E. du B.-R. A New Loxosomatid from Brazil. Bol. Fac. Fil. Ciênc. Letr. Univ. São Paulo, Zool. No. 15 1950 pp. 193-202 2 pls.

38.—Martin, G. P. R. Zur Kenntnis der tertiären Bryozoenriffe (Sarmat) auf der Halbinsel Kertsch. Z. deutsch. geol. Ges. Berlin 95 3-4 1943 pp. 133-137.

39.—Meléndez, B. Tratado de Paleontología. 1. Invertebrados. 1. Animales Inferiores. Madrid 1947 pp. i-xxiii, 1-511 9 pls. 259 text-figs. tables. [Polyzoa, pp. 379-402].

40.—Mirigliano, G. Pliocene tra Licusati, S. Iconio e Porto degli Infreschi (Salerno). Boll. Soc. Nat. Napoli 57 1949 pp. 60-71.

41.—Monod, T. Sur un Bryzoaire d'eau douce du Nigéria. Notes Afr. Dakar 48 1950 pp. 135-136 1 fig.

42.—Newcomer, W. S. Additions to the description of *Plumatella repens fureifer* Jullien. Amer. midl. Nat. 44 1950 pp. 205-210 10 text-figs. 1 table.

43.—Oliveira, L. P. H. de. Relatório sobre as excursões científicas feitas a bordo do Navio Hidrográfico Rio Branco, sob a orientação do professor Pierre Drach, da Sorbonne. Mem. Inst. Osw. Cruz 47 1950 pp. 87-96 1 map.

44.—Oliveira, L. de. Levantamento bryozográfico de Baía de Guanabara. Mem. Inst. Osw. Cruz 48 1950 pp. 363-391 19 figs. 2 sections.

45.—Osburn, R. C. Bryozoa of the Pacific Coast of America. Part 1, Cheilostomata-Anasca. Allan Hancock Pacific Exped. 14 1950 pp. 1-269 29 pls.

46.—Paul, H. Schrifttum des Unterkarbons. Abh. Reichsamts f. Bodensch. N.F. 198 1944 pp. 1-515.

47.—Pérès, J.-M. & Picard, J. Notes sommaires sur le peuplement des grottes sous-marines de la région de Marseille. C.R. Soc. Biogéogr., Paris No. 227 1949 pp. 42-46.

Picard, J. see Peres, J.-M.

48.—Praeger, R. L. Natural History of Ireland, London 1950. [Polyzoa, pp. 224-225].

49.—Purasjoki, K. J. Plankton gesammelt in den Jahren 1899-1910 an den Küsten Finnlands. Finn. hydrogr.-biol. Untersuch. No. 11, 1947 pp. 1-40 13 pls. 6 diagr. tables.

50.—Rennie, J. V. L. Os fósseis Aptianos de Chalala. Bol. Serv. Min. Geol. Moçambique 9 1947 pp. 1-41 (English pp. 45-81) 2 plates.

51.—Ringuelet, R. A. Clasificación moderna del reino animal incluyendo clases y subclases de acordados vivientes y extinguidos. [Publ.] Fac. Cienc. nat. Mus. La Plata Ser. tecn. y didáctica No. 3 1950 pp. 1-61.

52.—Rogick, M. D. & Schalie, H. van der. Studies on Fresh-water Bryozoa, XVII. Michigan Bryozoa. Ohio J. Sci. 50 1950 pp. 136-146 2 pls. 3 tables.

53.—Rossi, C. Fossili Miocenici del sottosuolo della Gefara Tripolina (Libia). Ann. Mus. libico Stor. nat. 2 1940 pp. 211-249 1 pl.

Schalie, H. van der see Rogick, M. D.

54.—Schindewolf, O. H. Der Leitfaktor in Geologie und Paläontologie. Stuttgart 1950 pp. 1-114 18 text-figs. 4 tables. [Polyzoa, pp. 59, 60].

55.—Schouppé, A. *Archaeocyathacea* in einer Caradoc-Fauna der Grauwackenzone der Ostalpen. *Neuen Jahrb. Min. etc. Abh. Stuttgart* **91** B 1950 pp. 193-232 1 pl.

56.—Seshaiya, R. V. On *Urnatella indica* Seshaiya, a Freshwater Entoproctan from South India. *Rec. Indian Mus.* **45** 1949 pp. 283-289 3 text-figs.

Shishova, N. A. *see* Title 59.

57.—Silén, L. On the mobility of entire zooids in Bryozoa. *Acta zool. Stockh.* **31** 1950 pp. 349-386 20 figs.

58.—Silén, L. On the Anatomy and Biology of Penetrantiidae and Immergentiidae (Bryozoa). *Ark. Zool. Stockh.* **40A** 4 1947 pp. 1-48 70 text-figs.

Silén, L. [The date of the paper entered as Title 38 in Z.R. 80 and as Title 82 in Z.R. 82 is 1942].

59.—Shishova, N. A. New *Acanthocladiidae* of the carboniferous of the Moscow district and the Don-Medveditz. *C.R. Acad. Sci. Moscou N.S.* **70** 1950 pp. 497-500 7 text-figs. [In Russian.]

60.—Smith, F. G. W., Williams, R. H. & Davis, C. C. An ecological survey of the subtropical inshore waters adjacent to Miami. *Ecology* **31** 1950 pp. 119-146 7 figs. tables.

61.—Soule, J. D. A new species of *Terebripora* from the Pacific (Bryozoa Ctenostomata). *J. Wash. Acad. Sci.* **40** 1950 pp. 378-381 3 text-figs.

62.—Soule, J. D. Penetrantiidae and Immergentiidae from the Pacific (Bryozoa: Ctenostomata). *Trans. Amer. Micr. Soc. Menasha* **69** 1950 pp. 359-367 2 pls.

63.—Spjeldnaes, N. On some vertebrate fossils from Gotland with some comments on the stratigraphy. *Ark. Min. Geol. K. Svenska. VetenskAkad. Stockholm* **1** 1950 pp. 211-218 1 pl.

Stride, A. H. *see* Hepworth, J. V.

64.—Suvatti, C. Fauna of Thailand, Bangkok (Dept. of Fisheries) 1950 pp. ii + 1100, frontisp. [Polyzoa listed, pp. 10, 11].

65.—Termier, G. & H. Paléontologie Marocaine II. Invertébrés de L'Ere Primaire 2. Bryozoaires et Brachiopodes. *Notes & Mém. Serv. géol. Maroc* **77** 1950 pp. 1-253 71 pls. [Polyzoa pp. 1-20].

66.—Thienemann, A. Verbreitungsgeschichte der Süßwassertierwelt Europas. Versuch einer historischen Tiergeographie der europäischen Binnengewässer. *Binnengewässer, Stuttgart* **18** 1950 pp. i-xvi, 1-809, 11 pls. 249 text-figs. tables. [Polyzoa, pp. 153, 657.]

Thomas, H. D. in Rennie, J. V. L.

67.—Toots, H. Über *Fenestella ripistertia* (Goldf.) (Bryozoa Cryptostomata). *N. Jahrb. Geol. u. Paläont.* **9** 1950 pp. 275-278, abb. 1-2.

Toriumi, M. *see* Hozawa, S.

68.—Troelsen, J. C. Contributions to the Geology of Northwest Greenland, Ellesmere Island and Axel Heiberg Island. *Medd. Grønland* **149** 7 1950 pp. 1-86 17 figs. 1 map. [Polyzoan. p. 56].

69.—Vibè, C. The Marine Mammals and the Marine Fauna in the Thule district (Northwest Greenland) with observations on ice conditions in 1939-41. *Medd. Grønland* **150** 6 1950 pp. 1-117 35 text-figs. tables.

70.—Vigneaux, M. Les Bryozoaires du forage des Eyquems, à Mérignac (Gironde). *Bull. Soc. géol. Fr. (5)* **18** 1948 pp. 407-414 1 pl.

71.—Vigneaux, M. Sur l'évolution du squelette des Bryozoaires Cheilostomes. P.-V. Soc. Sci. Phys. Nat. Bordeaux 1944-1945 1948 pp. 57-59.

72.—Voigt, E. Kreidebryozoen aus New Jersey (U.S.A.) unter A. E. Reuss' Originalen zu seiner Monographie der Bryozoen und Foraminiferen des Unteren Pläners (1872) in H. B. Geinitz: "Das Elbthalgebirge in Sachsen." *Z. deutsch. geol. Ges.* **94** 1942 pp. 326-339 2 pls. 1 text-fig. [Title only, Z.R. 81]

Voigt, E. *see* Krause, P. G. p. 398.

73.—Voorthuysen, J. H. van & Lagaaij, R. Micropalaeontologisch Onderzoek van Keileem. *Publ. Nederl. geol. Veren.*, No. 8 1950 pp. 1-16 (of separate) 3 text-figs.

74.—Wagenbreth, O. Der Zechstein von Köstritz und seine Klippen und Riffe. *Beitr. Geol. Thüring.* **8** 4-5 1947 pp. 227-245 pls. 1-5 10 text-figs. [Plates on p. 241].

75.—Weissermel, W. Neue Beiträge zur Kenntniss der Geologie, Palaeontologie und Petrographie der Umgegend von Konstantinopel. 3. Obersilurische und devonische Korallen, Stromatoporen und Trepstome von der Prinzeninsel Antirovitha und aus Bithynien. Abh. preuss. geol. LdAnst. N.F. 190 1939 pp. 1-131 15 pls. [Polyzoa, pp. 113-118].

76.—Wiebach, F. Unsere häufigsten Süsswasser-Bryozoen (Winke für ihre Beschaffung, Haltung und Beobachtung). Mikrokosmos, Stuttgart 39 6 1950 pp. 121-126 5 text-figs

Williams, R. H. see Smith, F. G. W.

SUBJECT INDEX

GENERAL

Textbooks of paleontology, GOLDRING 26; KUHN 32; MELÉNDEZ 39.

Indexes (authors, geographical, paleontological, etc.) to work on the lower Carboniferous, PAUL 46; Survey of works published on Irish Polyzoa, PRAEGER 48.

Classification of animal kingdom, with definitions of terms. RINGUELET 51; Glossary of terms, short general account and definitions of main groups, OSBURN 45; Tabulated key to classification of Paleozoic Polyzoa, TERMIER & TERMIER 65; Key to freshwater genera, EDDY & HODSON 19; Genera hitherto in Hydrozoa considered as Polyzoa, KÜHN 31.

Canu's MS. names, DAVID 16; Cretaceous material from U.S.A. among the original material described as from Saxony by Reuss, VOIGT 72.

Duration of genera in geologic time, SCHINDEWOLF, 54.

Evolution of frontal wall and orifice, VIGNEAUX 71.

Archimedes in dating of Oquirrh formation, Utah, discussed, ELIAS, 21; Types of occurrence and position of late Palaeozoic Polyzoa of midcontinental sediments of U.S.A., ELIAS 20; *Membranipora lapidosa* Pall. forming Tertiary reefs, MARTIN, 38.

Characteristics of calculi derived from Ceramoporidae, SPJELDNAES 63.

Structure of colony of *Retepora*, HASS 27.

Mobility of entire zoids (avicularia, vibracula, autozoids), SILÉN 57; Boring Ctenostomata, anatomy and biology, SILÉN 57; Pacific species of boring Ctenostomata, SOULE 61, 62.

Statoblasts, as example of resistant stages of freshwater organisms, THIENEMANN 66.

Vanadium in *Plumatella fungosa*, BERTRAND 5.

Fouling organisms, ALLAN, 2; Ecological and fouling studies, Florida, SMITH, WILLIAMS & DAVIS 60; Polyzoa on wooden harbour-works, CASPERS 13.

Rate of growth of *Bugula neritina*, SMITH, WILLIAMS & DAVIS 60.

Pectinatella as immigrant to freshwater fauna of Germany, THIENEMANN 66; *Urnatella* in river Meuse, DAMAS 15; Freshwater Gymnolaemata, BROOKS 9; Distribution of freshwater forms, BREHM 8.

Hints on collecting and observing freshwater Polyzoa, WIEBACH 76; Examination of growing colonies by under-water swimming, HASS 27.

DISTRIBUTION

(a) RECENT

Marine.—Greenland, VIBE 69; Finland, PURASJOKI 49; Heligoland, CASPERS 13; Denmark, MARCUS 36; Germany, BOCK 6; S. France, PÉRÈS & PICARD 47; Mediterranean, HASS 27; Black Sea, DOLGOPOLSKAIA 17; Thailand, SUVATTI 64; Queensland, ALLAN 2; Brazil, MARCUS 37; OLIVEIRA 43, 44; Louisiana, U.S.A., BEHRE 4; W. coast America, OSBURN 45; Pacific, SOULE 61, 62;

Freshwater.—Denmark, MARCUS 36; Germany, WIEBACH 76; Hungary, DUDICH 18; Lake Baikal, BROOKS 9; Turkey, GELDIAI 24; U.S.S.R., MAKAROW 34; Nigeria, MONOD 41; South India, SESHAIYA 56; Thailand, SUVATTI 64; Manchoukuo, Hozawa & TORIUMI 29; Michigan, Indiana, Pennsylvania & Utah, U.S.A., ROGICK & SCHALIE 52; New York State, U.S.A., NEWCOMER 42.

(b) FOSSIL

Pleistocene.—Holland (derived from Cretaceous), VOORTHUYSEN & LAGAAILJ 73.

Pliocene.—England, CAMBRIDGE 12; England, France, Italy, N. Africa, BUGE 11; Italy, MIRIGLIANO 40; Crimea, MARTIN 38.

Miocene.—France, DAVID 16; France, Austria-Hungary, BUGE 11; Poland, MAŁECKI 35; Libya, ROSSI 53.

Oligocene.—Alsace, France, GILLET 25; France, BUGE 10; France, VIGNEAUX 70; Germany, FRANKE 23.

Eocene.—France, BALAVOINE 3; Italy, ACCORDI 1.

Cretaceous.—Holland, VOORTHUYSEN & LAGAAILJ 73; Switzerland, CHENEVART 14; Lourenço Marques, Thomas in RENNIE 50; New Jersey, U.S.A., VOIGT 72.

Jurassic.—Germany, KRAUSE 30; Switzerland, CHENEVART 14.

Permian.—Germany, WAGENBRETH 74.

Carboniferous.—General, PAUL 46; England, HEPWORTH & STRIDE 28; Belgium, TOOTS 67; Morocco, TERMIER & TERMIER 65; U.S.S.R., SHISHOVA 59.

Devonian.—Morocco, TERMIER & TERMIER 65; Libya, BORGHI & CHIESA 7; Turkey, WEISSERMEL, 75; Michigan U.S.A., ELIAS 22.

Silurian.—Turkey, WEISSERMEL 75.

Ordovician.—Greenland, TROELSEN, 68; E. Alps, SCHOUPE 55; Morocco, TERMIER & TERMIER 65.

Paleozoic (general).—Amur, Russia, LUTCHITZKI & KRESTOVNIKOV 33.

III.—SYSTEMATIC INDEX

Full references are given only in the case of new species, the volume number being given in "small bold clarendon." In other cases the numeral in "large bold clarendon" refers to the list of titles where the full reference is to be found.

ECTOPROCTA

GYMNOLAEMATA

CTENOSTOMATA

Immergentia, key to species, *I. californica* p. 364, *philippinensis* sp. n. Recent Philippine Is. p. 366, *zelandica* var. *minuta* var. n. Recent Philippine Is. p. 367 SOULE Trans. Amer. Micr. Soc. Menasha 69, *I. suecica* sp. n. Recent Sweden, SILÉN Ark. Zool. Stockholm 40A 4 1947 p. 46.

Immergentiidae, morphology, SILÉN 58 p. 40.

Mimosella gracilis, *bigeminata*, SILÉN 57 pp. 358, 361.

Paludicella articulata, ROGICK & SCHALIE 52 p. 142.

Penetrantia, key to species, p. 359, *P. densa*, *concharum*, p. 360, *sileni* sp. n. Recent Pacific, p. 361, SOULE Trans. Amer. Micr. Soc. 69.

Terebripora, p. 378, *T. comma* sp. n. Recent California, p. 380, SOULE J. Wash. Acad. Sci. 40 11 1950.

Triticella gedicellata [sic] Annandale, SUVATTI 63 p. 11.

CYCLOSTOMATA

†*Diastopora latomarginata* d'Orb., p. 459, referred to *Diplosolen*, p. 460, *D. latomarginata* Waters may be *Plagioecia patina* (Lamk.), *D. sparsa*, p. 461, BUGE 11.

†*Diplosolen latomarginatum*, BUGE 11 p. 460.

†*Entalophora straminea*, KRAUSE 30 p. 398.

†*Fasciculipora aquitanica* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 413.

†*Fistulipora monticulata*, BORGHI & CHIESA 7 p. 128.—*F. solanoides* sp. n. Silurian Turkey, WEISSERMEL Abh. preuss. geol. LdAnst. N.F. 190 1939 p. 114.

†*Haploecia (Entalophora) straminea*, KRAUSE 30 p. 398.

†*Lichenopora schoelleri* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 413.

†*Mitoclema lecointrei* sp. n. Devonian Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950 p. 17.

†*Petaloporella* Prantl a synonym of *Mitoclema* Ulrich, TERMIER & TERMIER 65 p. 17.

†*Plagioecia lecointrei* nom. n. for *P. latomarginata* Canu & Lecointre, BUGE Bull. Soc. géol. Fr. 5 20 1950 p. 461.

†*Tubulipora latomarginata* Neviani may be *Plagioecia patina* (Lamk.), *T. concinna* MacG. referred to *Diaperoecia*, p. 461, *T. subdisticha* nom. n. for *T. disticha* Canu & Lecointre not Michelin, p. 464, BUGE Bull. Soc. géol. Fr. 5 20 1950.

TREPOSTOMATA

†*Batostoma hüffneri*, WEISSERMEL 75 p. 117.

†*Chaetetes hüffneri* referred to *Batostoma*, WEISSERMEL 75 p. 117.

†*Hallopora*, p. 221, *H. taramellii*, p. 222, SCHOUPPÉ 55.—*H. alnifensis* sp. n. Ordovician Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc 77 1950 p. 18.

†*Halloporidae*, discussed, SCHOUPPÉ 55 p. 217.

†*Heterotrypa*, defined, p. 225, *H. del piazzi*, p. 226, SCHOUPPÉ 55.—*H. sp.*, WEISSERMEL 75 p. 116.

†*Monotrypa*, defined, p. 223, *M. certa*, p. 224, SCHOUPPÉ 55.

†*Monotrypella consuleo*? SCHOUPPÉ 55 p. 225.

†*Prasopora clariondi* sp. n. Ordovician Morocco TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950 p. 18.

†*Tabulipora chouberti* sp. n. Devonian Morocco, *T. balconi*, *wallacei* spp. n. Carboniferous Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950 p. 18.

†*Trematopora filatensis* sp. n., p. 18, *clariondi*, *grandis* spp. n., p. 19, Ordovician Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950.

CRYPTOSTOMATA

†*Acanthocladia dubia, anceps*, WAGENBRETH 74 p. 245.

†*Arthropora laghdadensis* sp. n. Ordovician Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950 p. 17.

†*Diploporaria semikhatovae* sp. n. Carboniferous U.S.S.R. SHISHOVA C.R. Acad. Sci. Moscou N.S. 1950, 70 3 p. 500.—*D. cristata* sp. n. Carboniferous Morocco, TERMIER & TERMIER Notes & Mém. serv. géol. Maroc, 77 1950 p. 17.

†*Fenestella deissi* nom. n. for *F. foraminosa* Deiss preoce., *F. serrulata* var. *nekhroshevi* var. n. for *F. tenax* var. Ulrich, 1890, ELIAS J. Paleont. 24 3 1950 p. 390.—*F. irregularis* Nekhoroshev, a synonym of *F. ripisteria* (Goldf.), TOOTS 67 p. 275.

†*Pinnatopora punctata* sp. n. p. 497, *distincta* sp. n. p. 499, Carboniferous U.S.S.R. SHISHOVA C.R. Acad. Sci. Moscou N.S. 70 3 1950.

†*Polypora daguini* sp. n. Carboniferous Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950 p. 18.

†*Reteporidra gevini* sp. n. Devonian Morocco, TERMIER & TERMIER Notes & Mém. Serv. géol. Maroc, 77 1950 p. 17.

CHEILOSTOMATA

†*Acanthionella typica*, VOIGT 72 p. 331.

Acanthodesia, a synonym of *Membranipora*, p. 19, *A. serrata* Hastings not Hincks referred to *Membranipora hastingsae* sp. n. p. 29, OSBURN 45.

†*Aechmella microstoma*, VOORTHUYSEN & LAGAAIL 73 p. 9.

Aetea, key to species, *A. anguina*, p. 11, *recta*, *truncata*, p. 12, *ligulata*, p. 13, OSBURN 45.

Alderina smitti nom. n. for *Membranipora irregularis* Smitt not d'Orbigny, p. 59, *A. brevispina*, p. 60, OSBURN Allan Hancock Pacific Expedition 14 1 1950.

Alderinidae, key to genera, OSBURN 45 p. 59.

Amastigia biseriata sp. n. Recent California, *rudis*, OSBURN Allan Hancock Pacific Exp. 14 1 1950, p. 127.

†*Amphiblestrum capistratum*, VOIGT 72 p. 329.—*A. ringens*, VOORTHUYSEN & LAGAAIL, 73 p. 7.

Anexechona gen. n. Arachnopusiidae, genotype *A. ancorata* sp. n. Recent California, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Antopora, discussed, p. 51, key to species, *A. granulifera*, p. 52, *claustracrassa*, p. 53, *tincta*, p. 54 OSBURN 45.

Aplousina major sp. n. Recent California, *A. filum*, OSBURN Allan Hancock Pacific Exp. 14 1 1950 p. 47.

Arachnopusiidae, OSBURN 45 p. 95.

†*Batopora* defined, *B. stoliczkai*, p. 62, *B. multiradiata*, p. 63, FRANKE 23.

Beania, p. 169, key to species, *mirabilis*, p. 170, *alaskensis* sp. n. Recent Alaska, *magellanica*, p. 171, *hirtissima*, p. 172, *columbiana*, p. 173, OSBURN 45.

Beaniidae, merged in Bicellariellidae, OSBURN 45 p. 151.

Bicellariella? *brevispina*, *stolonifera*, OSBURN 45 p. 153.

Bicellariellidae, p. 151, key to genera p. 152, OSBURN 45.

Bidenkapia gen. n. fam. Alderiniidae, genotype *Membranipora spitsbergensis* Bideknap, p. 75, *B. spitsbergensis*, p. 76, *spitsbergensis* var. *alaskensis* var. n. Recent Alaska, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Biflustra crassimargo* Reuss = *Eurina torta* (Gabb & Horn), VOIGT 72 p. 330.

Brettia, defined, p. 16, *B. pellucida*, *tubaeformis*, p. 17, OSBURN 45.

†*Buffonella elongata* sp. n. p. 408, *merignacensis* sp. n. p. 409, Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948.

Bugula, p. 153, key to species, *neritina*, p. 154, *minima*, *pacifica*, p. 155, *longirostrata*, *californica*, p. 156, *flabelata*, p. 157, *pugeti*, *mollis*, p. 158, *cuculifera*, *uniserialis* p. 159, *avicularia*, p. 160, OSBURN 45.—*B. flabelata*, SILÉN 57 p. 354.

Bugulidae, merged in Bicellariellidae, OSBURN 45 p. 151.

Caberea, key to species, *boryi*, p. 129, *ellisi*, p. 130, OSBURN 45.—*C. boryi*, SILÉN 45 p. 379.

Caleschara, p. 103, *mexicana* sp. n. Recent Mexico, p. 104, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Callopora, discussed and key to species, p. 63, *C. alba*, referred to *Hincksina*, p. 41, *C. triangulata* O'Donoghue a synonym of *Hincksina velata*, p. 44, *C. brevispina*, referred to *Alderina* p. 60, *C. armata*, p. 64, *aurita*, *circumclathrata*, p. 65, *corniculifera*, p. 66, *craticula*, p. 67, *exilis*, *lineata*, p. 68, *horrida*, p. 69, *whiteavesi*, *inconspicua*, p. 70, *verrucosa*, p. 71, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Calpensia andegavensis*, BUGE 11 p. 462.

Canua, a synonym of *Antopora* OSBURN 45 p. 51.

Carbacea carbacea, OSBURN 45 p. 39.

Caulibugula, key to species, p. 160, *ciliata*, *occidentalis*, p. 161, *californica*, p. 162, OSBURN 45.

Cauloramphus, key to species, *C. spiniferum*, p. 55, *echinus*, *brunea*, p. 56, *cymbaeformis*, p. 57, *variegatum* may be a colour form of *spiniferum*, p. 58, OSBURN 45.

Cellaria, key to species, *mandibulata*, p. 116, *diffusa*, *fissurifera* Canu & Bassler a synonym of *diffusa*, p. 117, *veleronis* sp. n. Recent Galapagos Is, p. 118, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Cellepora globularis* Bronn synonym of *Batopora multiradiata* Reuss, FRANKE 23 p. 63.—*C. pumila* Gabb & Horn referred to *Trilophophora*, VOIGT 72 p. 334.

Cellularina, key to families, OSBURN 45 p. 119.

Chapperia, key to species, *patula*, p. 89, *condylata*, p. 90, *californica* sp. n. Recent California, p. 91, *frontalis* sp. n. Recent Galapagos Is, p. 92, *longispina* sp. n. Recent S. California p. 93, *varians*, p. 94, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Chapperiidae, OSBURN 45 p. 88.

Coilostega, p. 99, key to families, p. 100, OSBURN 45.

Colletosia radiata, p. 187, *bellula* sp. n. Recent California p. 188, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Conescharellina perfecta* sp. n. p. 105, *C. veronensis* sp. n. p. 108, Eocene Italy, ACCORDI Studi trentini 25 1947.

Conopeum, defined, *C. commensale*, p. 30, *reticulum*, p. 31, OSBURN 45.

Copidozoum, key to species, p. 71, *tenuirostre*, p. 72, *planum*, *protectum* p. 73, *spinatum* sp. n. Recent Costa Rica, *C. transversum* Silén may belong to *Cranosina*, p. 48, OSBURN Allan Hancock Pacific Exp. 14 1950.

Corynoporella spinosa, OSBURN 45 p. 163.

†*Coscinopleura digitata*, VOIGT 72 p. 331.

Cranosina colombiana sp. n. Recent Colombia, OSBURN Allan Hancock Pacific Exp. 14 1 1950 p. 48.

Crassimarginatella tinctoria, referred to *Antropora*, OSBURN 45 p. 54.

†*Crassimarginatella macrostoma*, BUGE 10 p. 624.—*C. intermedia* VOIGT 72 p. 329.

Cribrilina annulata, p. 177, *corbicula*, p. 178, *annulata* var. *spitsbergensis* Norman, referred to *Reginella spitsbergensis*, p. 182, OSBURN 45.

Cribrilinidae, key to genera, OSBURN 45 p. 174.

Cribrimorpha, OSBURN 45 p. 173.

Cupuladria canariensis, OSBURN 45 p. 33.

†*Cycleschara marginata* Roemer may be synonymous with *Orbitulipora wolterstorffi*, FRANKE 23 p. 64.

Dacryonella, a synonym of *Antropora*, OSBURN 45 p. 51.

Dendrobeania, key to species, *murayana*, p. 165, *curvirostrata*, p. 166, *laxa*, *lichenoides*, p. 167, *longispinosa*, p. 168, *multiseriata*, *simplex*, p. 169, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Desmacystis gen. n. fam. Membraniporidae, genotype *Membranipora sandalia* Robertson, OSBURN Allan Hancock Pacific Exp. 14 1 1950 p. 32.

†*Discoescharites mamillata* Roemer a synonym of *Stichoporina reussi*, FRANKE 23 p. 65.

Discoporella umbellata, OSBURN 45 p. 113.

Doryporella, p. 83, *spathulifera*, *alicornis*, p. 84, OSBURN 45.

Electra, key to species, *E. crustulenta*, p. 35, *anomala* sp. n. Recent Balboa, Panama Canal Zone, *crustulenta* var. *arctica*, p. 36, *biscuta* sp. n. Recent Mexico, p. 37, *bellula* var. *bicornis*, *hastingsae*, p. 38, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Electra* sp. cf. *elliptica* Reuss 1872, BUGE 10 p. 623.

Electrinidae, defined, OSBURN 45 p. 34.

Ellisina, discussed, p. 49, *E. levata*, p. 50, OSBURN 45.

†*Ellisina macrostoma*, BUGE 10 p. 625.

†*Eschara andegavensis* referred to *Calpensia*, BUGE 11 p. 462.—*E. heteromorpha* Reuss = *E. digitata* Morton, referred to *Coscinopleura*, p. 331, *E. osculifera* Reuss = *Cellepora typica* Gabb & Horn, p. 333, *E. pupoides* Reuss = *Flustra sagena* Morton, p. 333, VOIGT 72.

Eucratea loricata, OSBURN 45 p. 17.

Euritina arctica sp. n. Recent Alaska, OSBURN Allan Hancock Pacific Exp. 14 1 1950 p. 114.

†*Euritina torta*, VOIGT 72 p. 330.

Exechonella antillea, *pumicosa* a synonym of *antillea*, OSBURN 45 p. 95.

Figularia, p. 189, *hilli* sp. n. Recent California, p. 190, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Floridina antiqua, OSBURN 45 p. 102.

†*Floridina scutata* var. *excavata*, *F. gothica*, VOORTHUYSEN & LAGAAILJ 73 p. 8.

†*Flustrella capistrata* Gabb & Horn referred to *Amphiblestrum*, VOIGT 72 p. 329.

Haplota clavata, MARCUS 36 p. 13.

Hemiseptella africana, *hexagonalis*, *grandicella*, synonyms of *Membranipora tenuis*, OSBURN 45 p. 26.

Hiantoporidae, OSBURN 45 p. 97.

Hincksina, key to species, *H. alba*, p. 41, *nigrans*, p. 42, *pacifica* sp. n. Recent Lower California, p. 43, *velata*, p. 44, *pallida*, p. 45, *polacantha*, *minuscule*, p. 46, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Hincksinidae, key to genera, OSBURN 45 p. 40.

†*Hippolytrula tenuilabiata* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 412.

†*Hippopleurifera pustulosa* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 412.

†*Hippoporella subtenera* sp. n. Miocene France, DAVID Bull. Soc. géol. Fr. 5 19 1949 p. 542.

Iodictyum gibberosum, sanguineum, pp. 32, etc., *perarmatum, axillare*, p. 37, *spicatum*, p. 39, HASS 27.

Jodictium [sic, see *Iodictyum* above], HASS 27 p. 33.

Kinetoskias smitti, arborescens, SILÉN 57 p. 366.

Labioporella sinuosa, OSBURN 45 p. 109.

†*Lepralia pachycera*, VIGNEAUX 70 p. 410.—*L. undata* Reuss referred to *Monoporella*, p. 330, *L. interposita* Reuss = *Cellepora pumila* Gabb & Horn, p. 334, VOIGT 72.

†*Lunularia*, defined, *L. hemisphaerica* Roemer a synonym of *L. latdorfensis* Stoliczka, FRANKE 23 p. 61.

Lyrula hippocrepis, OSBURN 45 p. 184.

Malacostega, key to families, OSBURN 45 p. 14.

Membranipora (Electra) hastingsae, p. 7, *M. (Acanthodesia) tenuis*, p. 9, MARCUS 36.—*Membranipora* discussed, p. 19, key to species, p. 20, *M. membranacea*, p. 21, *serrilamella* nom. n. for *membranacea* form *serrata* Hincks, *villosa*, p. 22, *tuberculata*, p. 23, *perfragilis*, p. 24, *fusca* sp. n. Recent California, p. 25, *M. denticulata* Busk and *danica* Levinsen synonyms of *M. tenuis*, p. 26, *savarti*, p. 27, *pachytheca* sp. n. Recent Alaska, p. 28. *hastingsae* sp. n. for *Acanthodesia serrata* Hastings not *M. membranacea* form *serrata* Hincks, p. 29, *nigrans*, referred to *Hincksina*, p. 42, *velata*, referred to *Hincksina*, p. 44, *M. inconspicua* referred to *Callopora*, p. 70, *M. cassidata*, O'Donoghue a synonym of *Tegella armifera*, p. 79, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Membranipora macrostoma* Reuss referred to *Crassimarginatella*, p. 624, *M. macrostoma* Waters referred to *Ellisina*, pp. 625, 626, *M. falunica* nom. n. for *M. macrostoma* Canu & Lecointre 1925 non Reuss, pp. 623, 626, BUGE Bull. Soc.

géol. Fr. 5 19 1949.—*M. andegavensis* Busk not *Eschara andegavensis* Michelin, see *Thalamoporella neogenica* nom. n. BUGE 11 p. 463.—*M. spinirecta* sp. n. var. *muralis* var. n. Miocene France, DAVID Bull. Soc. géol. Fr. 5 19 1949 p. 540.—*M. patellaris* Reuss = *Flustrella capistrata* Gabb & Horn, *M. subtilimargo* var. Reuss = *Crassimarginatella intermedia* Canu & Bassler, p. 329 VOIGT 72.—*M. quadrata, angulata*, VOORTHUYSEN & LAGAAILJ 73 p. 6.

Membraniporella aragoi var. *pacifica* var. n. Recent Socorro Is., off Mexico, p. 174, *pulchra* sp. n. Recent Clarion Is., off Mexico, *crassicausta*, p. 176, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Membraniporidra porosa sp. n. Recent California, OSBURN Allan Hancock Pacific Exp. 14 1 1950, p. 62.

Membraniporidae, key to genera, OSBURN 45 p. 18.

Membrendoecium, a synonym of *Antropora*, OSBURN 45 p. 51.

Micropora coriacea, OSBURN 45 p. 105.

†*Micropora exilis* var. *incisa* Neviani may be *Thalamoporella neogenica*, BUGE 11 p. 463.—*M. vincentownensis* Canu & Bassler may be *Lepralia undata* Reuss, VOIGT 72 p. 330.—*Micropora* sp., VOORTHUYSEN & LAGAAILJ 73 p. 9.

Microporidae, key to families, OSBURN 45 p. 100.

Microporina articulata, MARCUS 36 p. 15.—*M. borealis*, OSBURN 45 p. 106.

Mollia, discussed, p. 60, *M. patellaria*, p. 61, OSBURN 45.

†*Monoporella undata*, VOIGT 72 p. 330.

†*Myriozoum tenuitruncatum* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 408.

Mystriopora areolata Canu & Bassler, referred to *Retevirgula*, OSBURN 45 p. 87.

Nellia oculata, referred to *Farcimariidae*, p. 119, *tenuis*, p. 120, OSBURN 45.

Onychocella alula, OSBURN 45 p. 101.

†*Onychocella* sp., VOORTHUYSEN & LAGAAILJ, 73 p. 7.

†*Orbitulipora*, defined, *O. haidingeri* Stoliczka a synonym of *O. petiolus* Lonsdale, *O. wolterstorffi* sp. n. Oligocene Germany, FRANKE Abh. Mus. Nat. u. Heimatk. Magdeburg 7 1939 p. 64.

†Orbituliporidae, discussed, FRANKE 23 p. 62.

Parellisina curvirostris, OSBURN 45 p. 75.

†*Phonicosia latigastra* sp. n. Miocene France, DAVID Bull. Soc. géol. Fr. 5 19 1949 p. 542.

†*Pliophloea sagena*, VOIGT 72 p. 333.

Puellina, p. 185, *setosa*, p. 186, OSBURN 45.

Reginella, p. 178, key to species, *furcata*, p. 179, *mucronata*, p. 180, *nitida* sp. n. Recent California, p. 181, *mattoidea* sp. n. Recent California, *spitsbergenensis*, p. 183, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Retepora protecta, p. 39, *monilifera* forma *monilifera*, p. 43, HASS 27.

Reteporellina capistrata, *denticulata*, pp. 32, etc., *graeffei*, pp. 39 etc., HASS 27.

Reteporidae, HASS 27 p. 1.

Retevirgula, key to species, p. 85, *lata* sp. n. Recent Galapagos Is, *tubulata*, p. 86, *areolata*, p. 87, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Rosseliana, OSBURN 45 p. 105.

Schizoporella longirostris, p. 17, *sanguinea* p. 19, MARCUS 36.

Schizoretepora tumescens, *imperati*, HASS 27 p. 32.

†*Schizostomella suppressa* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 409.

†*Schizotrema* gen. n. genotype *S. macroporosa* sp. n. Oligocene France, VIGNEAUX Bull. Soc. géol. Fr. 5 18 1948 p. 411.

Scruparia, p. 15, *S. ambigua*, OSBURN 45 p. 16.

Scrupariidae, key to genera, OSBURN 45 p. 15.

Scrupocellaria, key to species, p. 131, *bertholetti*, p. 133, *bertholetti* var. *tenuirostris* var. n. Recent California, p. 134, *californica*, p. 135, *diegensis*, p. 136, *ferox*, p. 137, *macropora* sp. n. Recent Mexico, *harmeri*, p. 138, *mexicana* sp. n. Recent Mexico, p. 139, *oblecta*, p. 140, *panamensis* sp. n. Recent Panama, p. 141, *profundis* sp. n. Recent Lower California, p. 142, *pugnax* sp. n. Recent Galapagos Is, p. 143, *regularis*, *scabra*, p. 144, *scabra* var. *paenulata*, *scruposa*,

p. 145, *spinigera* sp. n. Recent California, p. 146, *talonis* sp. n. Recent Panama, p. 147, *unguiculata* sp. n. Recent Galapagos Is, p. 148, *varians*, p. 149, *inarmata*, p. 150, OSBURN Allan Hancock Pacific Exp. 14 1 1950.—*S. scruposa*, SILÉN 57 p. 377.

Scrupocellariidae, key to families, OSBURN 45 p. 121.

Sertella longafissa, *beaniana*, p. 32, *septentrionalis*, pp. 34, 125, etc., *suluensis*, p. 37, *granulata*, pp. 37, 39, *harmeri* sp. n. Recent Mediterranean, p. 129, *couthii* [sic], pp. 130, etc., *mediterranea*, pp. 131, etc., *feuerbornii* sp. n. Recent Mediterranean, p. 133, *feuerbornii* forma *unisinuata* form. n. Recent Mediterranean, p. 134, HASS Zoologica Stuttgart 37 101 1948.

Sessibugula gen. n. Bicellariellidae, p. 163 genotype *S. translucens* sp. n. Recent California, p. 164, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Smittipora* sp., GILLET 25 p. 53.

Steganoporella cornuta sp. n. Recent Mexico, OSBURN Allan Hancock Pacific Exp. 14 1 1950 p. 107.

†*Stichopora pentasticha*, VOORTHUYSEN & LAGAAILJ 73 p. 6.

†*Stichoporina*, defined, *S. reussi*, FRANKE 23 p. 65.

†*Stomachetosella jacquemeti* sp. n. Miocene France, DAVID Bull. Soc. géol. Fr. 5 19 1949 p. 543.

Synnotum aegyptiacum, OSBURN 45 p. 151.

Tegella, discussed p. 77, key to species, p. 78, *armifera*, p. 79 *magnipora* sp. n. Recent Alaska, p. 80, *robertsoni*, p. 81, *arctica*, p. 82, *aquilirostris*, p. 83, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

Terminoflustra membranaceo-truncata, OSBURN 45 p. 40.

Thalamoporella gothica, p. 110, *californica*, p. 111, OSBURN 45.

†*Thalamoporella spathulata* sp. n. Miocene France, DAVID Bull. Soc. géol. Fr. 5 19 1949 p. 541.—*T. neogenica* nom. n. for *Membranipora andegavensis* BUSK, BUGÉ Bull. Soc. géol. Fr. 5 20 1950 p. 463.

Tremogasterina granulata var. *subspatulata* var. n. Recent Lower California, OSBURN Allan Hancock Pacific Exp. 14 1 1950 p. 98.

Tricellaria, key to species, p. 121, *occidentalis*, *catalinensis* a "nominal variety" of *occidentalis*, p. 122, *ternata*, p. 123, *gracilis*, *pribilofi*, p. 124, *praescuta* sp. n. Recent California, p. 125, *erecta*, p. 126, OSBURN Allan Hancock Pacific Exp. 14 1 1950.

†*Trilophophora pumila*, VOIGT 72 p. 334.

Triphyllozoon hirsutum, pp. 32, etc., *mucronatum*, *inornatum*, *tubulatum*, *patens*, *benemunitum*, *indivisum*, p. 37, HASS 27.

†*Trochopora*, defined, *T. subplena*, FRANKE 23 p. 60.

Velumella americana, OSBURN 45 p. 103.

†*Vincularia* cf. *parisiensis*, VOOR-THUYSEN & LAGAALJ, 73 p. 7.

PHYLACTOLAEMATA

Hyalinella toanensis sp. n. Recent Manchoukuo, HOZAWA & TORIUMI Rep. Limnobiol. Surv. Kwantung & Manchoukuo 1940 p. 431.

Plumatella repens var. *annulata* var. n. Recent Manchoukuo, p. 428, *P. repens* varr. *fungosa*, *emarginata* pp. 425, 427, *P. auricomis*, p. 429, HOZAWA & TORIUMI Rep. Limnobiol. Surv. Kwantung & Manchoukuo 1940.—*P. casmiana repens* varr. *emarginata*, *jugalis*, *P. orbisperma*, ROGICK & SCHALIE 52 pp. 143, 144.—*P. repens* var. *furcifer*, NEWCOMER 42 p. 205.

ENTOPROCTA

Loxocalyx, discussed and species reviewed, p. 195, *L. mortenseni* sp. n. Recent Brazil on terebellid tubes, p. 193 MARCUS Bol. Fac. Ciênc. Univ. S. Paulo Zool. 15 1950.

Urnatella gracilis, ROGICK & SCHALIE 52 p. 139.—*U. indica*, SESHAIYA 56 p. 283.

INCERTAE SEDIS

†*Aprutinapora*, referred to Polyzoa, KÜHN 31 p. A60.

†*Millestroma*, referred to Polyzoa, KÜHN 31 p. A61.

†*Pseudostromatopora*, referred to Polyzoa, KÜHN 31 p. A45.

†*Sphaerostromella*, referred to Polyzoa, KÜHN 31 p. A53.